IN THE CLAIMS:

This listing of claims will replace all prior versions, and listings, of claims in the application:

1. (Currently Amended) An electronic apparatus comprising:

a casing;

a display panel located in the casing;

a circuit board for the display panel located in the casing;

an apparatus body;

a display unit including a casing supported on the apparatus body, a display panel located in the casing, a light source located in the casing and configured to illuminate the display panel, and an inverter including a circuit board located in the casing and configured to drive the light source;

an antenna element <u>arranged in the casing and</u> mounted on the circuit board in the casing; and

a radio communication device connected to the antenna element.

- 2. (Original) An electronic apparatus according to claim 1, wherein the radio communication device includes an RF portion mounted on the circuit board in the casing.
- 3. (Original) An electronic apparatus according to claim 1, wherein the antenna element has a ground pattern formed on the circuit board, and an antenna mounted on the circuit board and connected to the ground pattern.
- 4. (Original) An electronic apparatus according to claim 3, wherein the circuit board has another ground pattern formed on the circuit board and connected to said ground pattern of the antenna element.
 - 5. (Canceled).
 - (Currently Amended) An electronic apparatus comprising:
 a casing;

panel;

Client/Matter: 008312-0309065

a display panel located in the casing;

a circuit board for the display panel located in the casing;

a light source located in the casing and configured to illuminate the display

an inverter including a circuit board located in the casing and configured to drive the light source;

an antenna element arranged in the casing; and

a radio communication device <u>which is arranged</u> in the <u>case casing</u>, connected to the antenna element and <u>including includes</u> an RF portion mounted on the circuit board.

- 7. (Canceled).
- 8. (Currently Amended) An electronic apparatus comprising: an apparatus body;

a display unit including a casing supported on the apparatus body, a display panel located in the casing, and a circuit board for the display panel located in the casing a light source located in the casing and configured to illuminate the display panel, and an inverter including a circuit board located in the casing and configured to drive the light source;

an antenna element arranged in the casing; and

a radio communication device having an RF portion which is arranged in the casing and connected to the antenna element.

a radio communication device arranged in the casing and mounted on the circuit board; and

an antenna element arranged in the casing, which has an insulating substrate and is connected to the radio communication device.

- 9. (Currently Amended) An electronic apparatus according to claim 8, wherein the RF portion is mounted on the circuit board in the casing the radio communication device includes an RF portion.
- 10. (Currently Amended) An electronic apparatus according to claim 8, further comprising a light source which is located in the casing and illuminates the display panel, and an inverter mounted on the circuit board and configured to drive the light source wherein the

HIROTA -- 10/814,272

Client/Matter: 008312-0309065

antenna element has a ground pattern formed on the insulating substrate, and an antenna mounted on the insulating substrate and connected to the ground pattern.

11. (New) An electronic apparatus according to claim 10, wherein the insulating substrate has another ground pattern formed on the insulating substrate and connected to the ground pattern of the antenna element.